

| Map Unit Symbol | Map Unit Name  | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 3               | BIGMON-TORRIFLUVENTS COMPLEX, OCCASIONALLY FLOODED       |                |                     |   |                             |   |                                |                    |              |
|                 |  | BIGMON         | 70                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |  | BIGMON         | 70                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |  | TORRIFLUVENTS  | 25                  | NA  | Rare                        | Very limited                                | Very limited                   | Moderate           | Very low     |
| 4               | TORRIFLUVENTS, 0 TO 3 PERCENT SLOPES, FREQUENTLY FLOODED |                |                     |   |                             |   |                                |                    |              |
|                 |  | TORRIFLUVENTS  | 90                  | NA  | Occasional                  | Very limited                                | Very limited                   | Moderate           | Very low     |
| 101             | TOLVAR-SCOUT-MINE COMPLEX, 20 TO 70 PERCENT SLOPES       |                |                     |   |                             |   |                                |                    |              |
|                 |  | TOLVAR         | 45                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | Not Rated    |
|                 |  | SCOUT          | 30                  | NA  | None                        | Very limited                                | Very limited                   | Moderately rapid   | Not Rated    |
|                 |  | MINE           | 25                  | NA  | None                        | Very limited                                | Very limited                   | Moderately rapid   | Not Rated    |
| 102             | ESS GRAVELLY SANDY LOAM, 1 TO 35 PERCENT SLOPES          |                |                     |   |                             |   |                                |                    |              |
|                 |  | ESS            | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 103             | MAROSA GRAVELLY LOAM, 30 TO 65 PERCENT SLOPES            |                |                     |   |                             |   |                                |                    |              |
|                 |  | MAROSA         | 90                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | Not Rated    |
| 104             | NAMELA-MERINO COMPLEX, 12 TO 65 PERCENT SLOPES           |                |                     |   |                             |   |                                |                    |              |
|                 |  | NAMELA         | 60                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Not Rated    |
|                 |  | MERINO         | 30                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 105             | GODDING-SHOWALTER COMPLEX, 1 TO 10 PERCENT SLOPES        |                |                     |   |                             |   |                                |                    |              |
|                 |  | GODDING        | 50                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
|                 |  | SHOWALTER      | 35                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 107             | ALAMOSA-GOLD CREEK COMPLEX, 1 TO 6 PERCENT SLOPES        |                |                     |   |                             |   |                                |                    |              |
|                 |  | ALAMOSA        | 60                  | 15-72                                       | Occasional                  | Very limited                                | Very limited                   | Moderately slow    | Not Rated    |
|                 |  | GOLD CREEK     | 25                  | 18-72                                       | Occasional                  | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 109             | ZOLTAY CLAY LOAM, 1 TO 6 PERCENT SLOPES                  |                |                     |   |                             |   |                                |                    |              |
|                 |  | ZOLTAY         | 90                  | NA  | None                        | Somewhat limited                            | Somewhat limited               | Slow               | Not Rated    |
| 111             | ROATCAP-HOOVERS COMPLEX, 1 TO 12 PERCENT SLOPES          |                |                     |   |                             |   |                                |                    |              |
|                 |  | ROATCAP        | 65                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | High         |
|                 |  | HOOVERS        | 30                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |

| Map Unit Symbol | Map Unit Name   | Component Name     | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|--------------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 113             | KUBLER-HERM COMPLEX, 5 TO 40 PERCENT SLOPES                             |                    |                     |   |                             |   |                                |                    |              |
|                 |   | KUBLER             | 45                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
|                 |   | HERM               | 40                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 115             | WINNEMUCCA-COCHETOPA COMPLEX, 3 TO 15 PERCENT SLOPES                    |                    |                     |   |                             |   |                                |                    |              |
|                 |   | WINNEMUCCA         | 45                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | Not Rated    |
|                 |   | COCHETOPA          | 40                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | Not Rated    |
| 117             | WINNEMUCCA-COCHETOPA, COOL-ADEL, MOIST COMPLEX, 15 TO 40 PERCENT SLOPES |                    |                     |   |                             |   |                                |                    |              |
|                 |   | WINNEMUCCA         | 35                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
|                 |   | COCHETOPA, COOL    | 30                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
|                 |   | ADEL, MOIST        | 25                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | Not Rated    |
| 119             | ADEL, MOIST-PAPASPILA COMPLEX, 15 TO 40 PERCENT SLOPES                  |                    |                     |   |                             |   |                                |                    |              |
|                 |   | ADEL, MOIST        | 45                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | Not Rated    |
|                 |   | PAPASPILA          | 40                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | Not Rated    |
| 130             | SHAVANO-USTIC TORRIFLUENTS COMPLEX, 3 TO 25 PERCENT SLOPES              |                    |                     |   |                             |   |                                |                    |              |
|                 |   | SHAVANO            | 60                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | High         |
|                 |   | USTIC TORRIFLUENTS | 30                  | NA  | Rare                        | Very limited                                | Somewhat limited               | Moderate           | Medium       |
| 14              | TWENTYFIVE-JEEPTRAIL COMPLEX, 3 TO 15 PERCENT SLOPES                    |                    |                     |   |                             |   |                                |                    |              |
|                 |   | TWENTYFIVE         | 75                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |   | JEEPTRAIL          | 20                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | Medium       |
| 160             | ARABRAB FINE SANDY LOAM, 3 TO 15 PERCENT SLOPES                         |                    |                     |   |                             |   |                                |                    |              |
|                 |   | ARABRAB            | 90                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 162T            | ARABRAB-ROCK OUTCROP COMPLEX, 8 TO 25 PERCENT SLOPES                    |                    |                     |   |                             |   |                                |                    |              |
|                 |   | ARABRAB            | 50                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |   | ROCK OUTCROP       | 40                  | NA  | None                        | Not Rated                                   | Not Rated                      | Very slow          | Very high    |
| 221             | CAVEGULCH CLAY LOAM, 0 TO 2 PERCENT SLOPES                              |                    |                     |   |                             |   |                                |                    |              |
|                 |   | CAVEGULCH          | 85                  | NA  | None                        | Somewhat limited                            | Not limited                    | Moderately slow    | Not Rated    |
| 222             | CAVEGULCH CLAY LOAM, 2 TO 5 PERCENT SLOPES                              |                    |                     |   |                             |   |                                |                    |              |
|                 |   | CAVEGULCH          | 85                  | NA  | None                        | Somewhat limited                            | Somewhat limited               | Moderately slow    | Not Rated    |

| Map Unit Symbol | Map Unit Name  | Component Name      | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|---------------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 22C             | WRAYHA SILTY CLAY LOAM, 1 TO 6 PERCENT SLOPES                                  |                     |                     |   |                             |   |                                |                    |              |
|                 |  | WRAYHA              | 85                  | NA  | None                        | Very limited                                | Somewhat limited               | Slow               | Not Rated    |
| 22D             | WRAYHA SILTY CLAY LOAM, 6 TO 15 PERCENT SLOPES                                 |                     |                     |   |                             |   |                                |                    |              |
|                 |  | WRAYHA              | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 24              | VASTINE SILT LOAM, 0 TO 5 PERCENT SLOPES                                       |                     |                     |   |                             |   |                                |                    |              |
|                 |  | VASTINE             | 85                  | 18-72                                       | Occasional                  | Very limited                                | Very limited                   | Moderately rapid   | Not Rated    |
| 245             | CLAYBURN-QUANDER-GUERO COMPLEX, 5 TO 30 PERCENT SLOPES                         |                     |                     |   |                             |   |                                |                    |              |
|                 |  | CLAYBURN            | 35                  | NA  | None                        | Very limited                                | Very limited                   | Moderately slow    | Not Rated    |
|                 |  | QUANDER             | 30                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
|                 |  | GUERO               | 20                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 25              | SCHRADER LOAM, 0 TO 5 PERCENT SLOPES   |                     |                     |   |                             |   |                                |                    |              |
|                 |  | SCHRADER            | 85                  | 15-72                                       | Occasional                  | Very limited                                | Very limited                   | Moderately rapid   | Not Rated    |
| 262             | ARABRAB-EVPARK PARKELEI COMPLEX, 3 TO 20 PERCENT SLOPES                        |                     |                     |   |                             |   |                                |                    |              |
|                 |  | ARABRAB             | 40                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |  | EVPARK              | 40                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | High         |
|                 |  | PARKELEI            | 15                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | Very high    |
| 30              | LINSCOTT-ROCK OUTCROP COMPLEX, 3 TO 20 PERCENT SLOPES                          |                     |                     |   |                             |   |                                |                    |              |
|                 |  | LINSCOTT            | 70                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |  | ROCK OUTCROP        | 20                  | NA  | None                        | Not Rated                                   | Not Rated                      | Very slow          | Very high    |
| 310             | LOGHILL, DRY-KUNZ COMPLEX, 15 TO 50 PERCENT SLOPES                             |                     |                     |   |                             |   |                                |                    |              |
|                 |  | LOGHILL, DRY        | 50                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
|                 |  | KUNZ                | 30                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | Not Rated    |
| 313             | LOGHILL, DRY-USTIC TORRIORTHENTS-ROCK OUTCROP COMPLEX, 15 TO 50 PERCENT SLOPES |                     |                     |   |                             |   |                                |                    |              |
|                 |  | LOGHILL, DRY        | 40                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
|                 |  | USTIC TORRIORTHENTS | 30                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
|                 |  | ROCK OUTCROP        | 20                  | NA  | None                        | Not Rated                                   | Not Rated                      | NA                 | Not Rated    |

| Map Unit Symbol | Map Unit Name  | Component Name   | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|------------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 32D             | BARX-SAMALA COMPLEX, 3 TO 15 PERCENT SLOPES                  |                  |                     |   |                             |   |                                |                    |              |
|                 |  | BARX             | 70                  | NA  | None                        | Not limited                                 | Very limited                   | Moderate           | Low          |
|                 |  | SAMALA           | 25                  | NA  | None                        | Not limited                                 | Very limited                   | Moderate           | Low          |
| 34D             | BLANCOT FINE SANDY LOAM, 3 TO 15 PERCENT SLOPES              |                  |                     |   |                             |   |                                |                    |              |
|                 |  | BLANCOT          | 90                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Medium       |
| 40C             | AGUA FRIA GRAVELLY CLAY LOAM, 6 TO 12 PERCENT SLOPES         |                  |                     |   |                             |   |                                |                    |              |
|                 |  | AGUA FRIA        | 85                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | Not Rated    |
| 40D             | AGUA FRIA COBBLY LOAM, 3 TO 15 PERCENT SLOPES                |                  |                     |   |                             |   |                                |                    |              |
|                 |  | AGUA FRIA        | 85                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | Not Rated    |
| 40E             | AGUA FRIA COBBLY LOAM, 15 TO 60 PERCENT SLOPES               |                  |                     |   |                             |   |                                |                    |              |
|                 |  | AGUA FRIA        | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 44D             | SHRINE CLAY LOAM, 3 TO 20 PERCENT SLOPES                     |                  |                     |   |                             |   |                                |                    |              |
|                 |  | SHRINE           | 80                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | Not Rated    |
| 48              | HOSTA CLAY LOAM, 10 TO 40 PERCENT SLOPES                     |                  |                     |   |                             |   |                                |                    |              |
|                 |  | HOSTA            | 90                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 49              | YOUAMAN LOAM, 5 TO 40 PERCENT SLOPES                         |                  |                     |   |                             |   |                                |                    |              |
|                 |  | YOUAMAN          | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 50              | CERRO CLAY LOAM, 10 TO 50 PERCENT SLOPES                     |                  |                     |   |                             |   |                                |                    |              |
|                 |  | CERRO            | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 50C             | CERRO CLAY LOAM, 1 TO 5 PERCENT SLOPES                       |                  |                     |   |                             |   |                                |                    |              |
|                 |  | CERRO            | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 50D             | CERRO CLAY LOAM, 5 TO 10 PERCENT SLOPES                      |                  |                     |   |                             |   |                                |                    |              |
|                 |  | CERRO            | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 50E             | CERRO STONY LOAM, 10 TO 40 PERCENT SLOPES, VERY STONY        |                  |                     |   |                             |   |                                |                    |              |
|                 |  | CERRO            | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 51              | HERM COBBLY CLAY LOAM, 5 TO 40 PERCENT SLOPES                |                  |                     |   |                             |   |                                |                    |              |
|                 |  | HERM             | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 511             | HAVILAND-NEEDLETON FAMILIES COMPLEX, 10 TO 65 PERCENT SLOPES |                  |                     |   |                             |   |                                |                    |              |
|                 |  | HAVILAND FAMILY  | 50                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | Not Rated    |
|                 |  | NEEDLETON FAMILY | 35                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | Not Rated    |

| Map Unit Symbol | Map Unit Name                                    | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 54              | WINIFRED CLAY LOAM, 12 TO 40 PERCENT SLOPES      |                |                     |   |                             |   |                                |                    |              |
|                 |  | WINIFRED       | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 54D             | WINIFRED CLAY LOAM, 3 TO 12 PERCENT SLOPES       |                |                     |   |                             |   |                                |                    |              |
|                 |  | WINIFRED       | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 56              | PAGODA CLAY LOAM, 12 TO 30 PERCENT SLOPES        |                |                     |   |                             |   |                                |                    |              |
|                 |  | PAGODA         | 90                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 56B             | BLACKMAN CLAY LOAM, 1 TO 3 PERCENT SLOPES        |                |                     |   |                             |   |                                |                    |              |
|                 |  | BLACKPOINT     | 85                  | NA  | None                        | Very limited                                | Not limited                    | Slow               | Not Rated    |
| 56D             | BLACKMAN CLAY LOAM, 3 TO 12 PERCENT SLOPES       |                |                     |   |                             |   |                                |                    |              |
|                 |  | BLACKPOINT     | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 58              | DELSON LOAM, 0 TO 10 PERCENT SLOPES              |                |                     |   |                             |   |                                |                    |              |
|                 |  | DELSON         | 85                  | NA  | None                        | Very limited                                | Somewhat limited               | Slow               | Not Rated    |
| 600             | BEJE-MOENTO COMPLEX, 3 TO 15 PERCENT SLOPES      |                |                     |   |                             |   |                                |                    |              |
|                 |  | BEJE           | 70                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |  | MOENTO         | 20                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | High         |
| 62D             | NORTEZ LOAM, 3 TO 15 PERCENT SLOPES              |                |                     |   |                             |   |                                |                    |              |
|                 |  | NORTEZ         | 90                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 64D             | PARKELEI CLAY LOAM, 3 TO 15 PERCENT SLOPES       |                |                     |   |                             |   |                                |                    |              |
|                 |  | PARKELEI       | 90                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | Not Rated    |
| 70              | RICOT LOAM, 5 TO 20 PERCENT SLOPES               |                |                     |   |                             |   |                                |                    |              |
|                 |  | RICOT          | 85                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | Not Rated    |
| 701             | MONTROSE-DELTA COMPLEX, 0 TO 2 PERCENT SLOPES    |                |                     |   |                             |   |                                |                    |              |
|                 |  | MONTROSE       | 65                  | NA  | None                        | Very limited                                | Not limited                    | Slow               | High         |
|                 |  | DELTA          | 20                  | 60-72                                       | None                        | Somewhat limited                            | Somewhat limited               | Slow               | High         |
| 702             | DAISER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES    |                |                     |   |                             |   |                                |                    |              |
|                 |  | DAISER         | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Slow               | High         |
| 703             | SAGERS SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES    |                |                     |   |                             |   |                                |                    |              |
|                 |  | SAGERS         | 85                  | NA  | Not Rated                   | Not limited                                 | Somewhat limited               | Moderately slow    | Medium       |
| 705             | SWEETCORN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |  | SWEETCORN      | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Slow               | Medium       |

| Map Unit Symbol | Map Unit Name  | Component Name    | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|-------------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 706             | TRYSWEET LOAM, 2 TO 5 PERCENT SLOPES                           |                   |                     |   |                             |   |                                |                    |              |
|                 |  | TRYSWEET          | 85                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | Medium       |
| 707             | NOCORN SANDY CLAY LOAM, 5 TO 15 PERCENT SLOPES                 |                   |                     |   |                             |   |                                |                    |              |
|                 |  | NOCORN            | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | High         |
| 708             | CHERYLADE CLAY LOAM, 0 TO 2 PERCENT SLOPES                     |                   |                     |   |                             |   |                                |                    |              |
|                 |  | CHERYLADE         | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Medium       |
| 709             | MONTROSE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES                |                   |                     |   |                             |   |                                |                    |              |
|                 |  | MONTROSE          | 85                  | NA  | None                        | Somewhat limited                            | Somewhat limited               | Slow               | High         |
| 710             | CHERYLADE LOAM, 2 TO 5 PERCENT SLOPES                          |                   |                     |   |                             |   |                                |                    |              |
|                 |  | CHERYLADE         | 85                  | NA  | None                        | Somewhat limited                            | Somewhat limited               | Slow               | Medium       |
| 720             | TYPIC CALCIARGIDS, 0 TO 2 PERCENT SLOPES                       |                   |                     |   |                             |   |                                |                    |              |
|                 |  | TYPIC CALCIARGIDS | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Slow               | Medium       |
| 721             | TYPIC CALCIARGIDS, 2 TO 5 PERCENT SLOPES                       |                   |                     |   |                             |   |                                |                    |              |
|                 |  | TYPIC CALCIARGIDS | 85                  | NA  | Not Rated                   | Not Rated                                   | Not Rated                      | NA                 | Not Rated    |
| 722             | TYPIC CALCIARGIDS, 5 TO 15 PERCENT SLOPES                      |                   |                     |   |                             |   |                                |                    |              |
|                 |  | TYPIC CALCIARGIDS | 85                  | NA  | Not Rated                   | Not limited                                 | Very limited                   | Slow               | High         |
| 723             | JOSHUBEAR CLAY LOAM, 0 TO 2 PERCENT SLOPES                     |                   |                     |   |                             |   |                                |                    |              |
|                 |  | JOSHUBEAR         | 85                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | Medium       |
| 724             | NELLIENA CLAY LOAM, 0 TO 2 PERCENT SLOPES                      |                   |                     |   |                             |   |                                |                    |              |
|                 |  | NELLIENA          | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Medium       |
| 725             | SAMIROCKSON GRAVELLY LOAM, 0 TO 2 PERCENT SLOPES               |                   |                     |   |                             |   |                                |                    |              |
|                 |  | SAMIROCKSON       | 85                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | Medium       |
| 726             | LIZZYDEA CLAY LOAM, 0 TO 2 PERCENT SLOPES                      |                   |                     |   |                             |   |                                |                    |              |
|                 |  | LIZZYDEA          | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Low          |
| 727             | SHADEAR COBBLY SANDY CLAY LOAM, 0 TO 2 PERCENT SLOPES          |                   |                     |   |                             |   |                                |                    |              |
|                 |  | SHADEAR           | 85                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderate           | Negligible   |
| 730             | LOUTZENHIZER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES            |                   |                     |   |                             |   |                                |                    |              |
|                 |  | LOUTZENHIZER      | 85                  | NA  | Not Rated                   | Very limited                                | Very limited                   | Slow               | High         |
| 731             | LOUTZENHIZER-PERSAYO COMPLEX, 2 TO 5 PERCENT SLOPES, IRRIGATED |                   |                     |   |                             |   |                                |                    |              |
|                 |  | LOUTZENHIZER      | 65                  | NA  | Not Rated                   | Very limited                                | Very limited                   | Slow               | High         |
|                 |  | PERSAYO           | 20                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | High         |

| Map Unit Symbol | Map Unit Name   | Component Name          | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|-------------------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 731a            | PERSAYO-LOUTZENHIZER COMPLEX, 2 TO 5 PERCENT SLOPES, NONIRRIGATED |                         |                     |   |                             |   |                                |                    |              |
|                 |   | PERSAYO                 | 65                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | High         |
|                 |   | LOUTZENHIZER            | 20                  | NA  | Not Rated                   | Very limited                                | Very limited                   | Slow               | High         |
| 732             | SELIG SILT LOAM, 2 TO 5 PERCENT SLOPES                            |                         |                     |   |                             |   |                                |                    |              |
|                 |   | SELIG                   | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | High         |
| 733             | EAST MESA SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES                  |                         |                     |   |                             |   |                                |                    |              |
|                 |   | EAST MESA               | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | High         |
| 74              | SHOWALTER CLAY LOAM, 5 TO 20 PERCENT SLOPES                       |                         |                     |   |                             |   |                                |                    |              |
|                 |   | SHOWALTER               | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 740             | ELLAYBE-PERSAYO COMPLEX, 5 TO 15 PERCENT SLOPES                   |                         |                     |   |                             |   |                                |                    |              |
|                 |   | ELLAYBEE                | 50                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | High         |
|                 |   | PERSAYO                 | 45                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 741             | CAPSAND SILT LOAM, 2 TO 12 PERCENT SLOPES                         |                         |                     |   |                             |   |                                |                    |              |
|                 |   | CAPSAND                 | 90                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | High         |
| 760             | MESA CLAY LOAM, 0 TO 2 PERCENT SLOPES                             |                         |                     |   |                             |   |                                |                    |              |
|                 |   | MESA                    | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Slow               | High         |
| 761             | MACK CLAY LOAM, 0 TO 2 PERCENT SLOPES                             |                         |                     |   |                             |   |                                |                    |              |
|                 |   | MACK                    | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Medium       |
| 762             | MESA CLAY LOAM, 2 TO 5 PERCENT SLOPES                             |                         |                     |   |                             |   |                                |                    |              |
|                 |   | MESA                    | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Medium       |
| 763             | MESA GRAVELLY LOAM, 2 TO 5 PERCENT SLOPES                         |                         |                     |   |                             |   |                                |                    |              |
|                 |   | MESA                    | 85                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | Low          |
| 764             | MESA GRAVELLY LOAM, 0 TO 2 PERCENT SLOPES                         |                         |                     |   |                             |   |                                |                    |              |
|                 |   | MESA                    | 85                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderate           | Medium       |
| 765             | MESA GRAVELLY CLAY LOAM, 2 TO 5 PERCENT SLOPES                    |                         |                     |   |                             |   |                                |                    |              |
|                 |   | MESA                    | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Very high    |
| 766             | MACK LOAM, 2 TO 5 PERCENT SLOPES                                  |                         |                     |   |                             |   |                                |                    |              |
|                 |   | MACK                    | 85                  | NA  | None                        | Somewhat limited                            | Somewhat limited               | Slow               | Medium       |
| 77              | BAIRD HOLLOW TAXADJUNCT LOAM, 5 TO 40 PERCENT SLOPES, NON-PACHIC  |                         |                     |   |                             |   |                                |                    |              |
|                 |   | BAIRD HOLLOW TAXADJUNCT | 85                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | Not Rated    |

| Map Unit Symbol | Map Unit Name  | Component Name   | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|------------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 780             | FRUITLAND SANDY LOAM, 0 TO 2 PERCENT SLOPES                            |                  |                     |   |                             |   |                                |                    |              |
|                 |  | FRUITLAND        | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately rapid   | Very low     |
| 781             | FRUITLAND SANDY CLAY LOAM, 2 TO 5 PERCENT SLOPES                       |                  |                     |   |                             |   |                                |                    |              |
|                 |  | FRUITLAND        | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderate           | Very low     |
| 787             | WISECREEK-IRONSTONE COMPLEX, 2 TO 8 PERCENT SLOPES                     |                  |                     |   |                             |   |                                |                    |              |
|                 |  | WISECREEK        | 55                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Medium       |
|                 |  | IRONSTONE        | 35                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 788             | SPRINGMESA-WOOD COMPLEX, 2 TO 12 PERCENT SLOPES                        |                  |                     |   |                             |   |                                |                    |              |
|                 |  | WOOD             | 45                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Medium       |
|                 |  | SPRINGMESA       | 45                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Medium       |
| 789             | ASHENSTEAD-GALLOSTEAD-AQUIC HAPLARGIDS COMPLEX, 2 TO 12 PERCENT SLOPES |                  |                     |   |                             |   |                                |                    |              |
|                 |  | ASHENSTEAD       | 40                  | NA  | None                        | Not limited                                 | Very limited                   | Very slow          | Very high    |
|                 |  | GALLOSTEAD       | 30                  | NA  | None                        | Somewhat limited                            | Somewhat limited               | Very slow          | High         |
|                 |  | AQUIC HAPLARGIDS | 10                  | NA  | Rare                        | Very limited                                | Somewhat limited               | Moderately slow    | Low          |
| 790             | AQUISALIDS, 0 TO 2 PERCENT SLOPES, OCCASIONALLT FLOODED                |                  |                     |   |                             |   |                                |                    |              |
|                 |  | AQUISALIDS       | 85                  | 6-72  | Occasional                  | Very limited                                | Very limited                   | Slow               | High         |
| 791             | CYNFESKE SILTY CLAY, 0 TO 2 PERCENT SLOPES                             |                  |                     |   |                             |   |                                |                    |              |
|                 |  | CYNFESKE         | 85                  | NA  | None                        | Somewhat limited                            | Not limited                    | Very slow          | High         |
| 792             | SALTICK SILTY CLAY, 0 TO 2 PERCENT SLOPES                              |                  |                     |   |                             |   |                                |                    |              |
|                 |  | SALTICK          | 85                  | NA  | None                        | Very limited                                | Not limited                    | Very slow          | High         |
| 795             | NICOLAUDETTE LOAM, 0 TO 2 PERCENT SLOPES, VERY RARELY FLOODED          |                  |                     |   |                             |   |                                |                    |              |
|                 |  | NICOLAUDETTE     | 85                  | NA  | Very rare                   | Very limited                                | Very limited                   | Moderate           | Low          |
| 797             | DAVSTYNE-DOBENT LOAMS, 0 TO 2 PERCENT SLOPES, VERY RARELY FLOODED      |                  |                     |   |                             |   |                                |                    |              |
|                 |  | DAVSTYNE         | 50                  | NA  | Very rare                   | Very limited                                | Very limited                   | Moderate           | Low          |
|                 |  | DOBENT           | 40                  | NA  | Very rare                   | Very limited                                | Very limited                   | Moderate           | Low          |
| 798             | TUOMESA-TUOMACK COMPLEX, 0 TO 2 PERCENT SLOPES                         |                  |                     |   |                             |   |                                |                    |              |
|                 |  | TUOMESA          | 50                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | Medium       |
|                 |  | TUOMACK          | 45                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | Medium       |



| Map Unit Symbol | Map Unit Name  | Component Name                   | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|----------------------------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 799             | HAPPY SILT LOAM, 0 TO 2 PERCENT SLOPES   |                                  |                     |   |                             |   |                                |                    |              |
|                 |  | HAPPY                            | 85                  | NA  | None                        | Somewhat limited                            | Somewhat limited               | Slow               | Low          |
| 800             | TORRIORTHENTS, 5 TO 30 PERCENT SLOPES  |                                  |                     |   |                             |   |                                |                    |              |
|                 |  | TORRIORTHENTS                    | 85                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 801             | TORRIORTHENTS-ROCK OUTCROP, SHALE, COMPLEX, 25 TO 75 PERCENT SLOPES                |                                  |                     |   |                             |   |                                |                    |              |
|                 |  | TORRIORTHENTS                    | 70                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |  | ROCK OUTCROP SHALE               | 25                  | NA  | Not Rated                   | Not Rated                                   | Not Rated                      | Slow               | Very high    |
| 802             | TORRIORTHENTS, GRAVELLY SURFACE, 12 TO 60 PERCENT SLOPES                           |                                  |                     |   |                             |   |                                |                    |              |
|                 |  | TORRIORTHENTS GRAVELLY SURFACE   | 75                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
| 804             | FLUVENTIC HAPLOCAMBIDS, DISSECTED, 0 TO 5 PERCENT SLOPES                           |                                  |                     |   |                             |   |                                |                    |              |
|                 |  | FLUVENTIC HAPLOCAMBIDS DISSECTED | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Slow               | Not Rated    |
| 805             | PERCENT SLOPES   |                                  |                     |   |                             |   |                                |                    |              |
|                 |  | TYPIC HAPLOCAMBIDS DISSECTED     | 75                  | NA  | Not Rated                   | Somewhat limited                            | Not limited                    | Slow               | Medium       |
|                 |  | FLUVAQUENTS                      | 15                  | NA  | Occasional                  | Very limited                                | Very limited                   | Moderately slow    | Medium       |
| 806             | FLUVAQUENTS, OCCASIONALLY FLOODED-FLUVENTS, RARELY FLOODED COMPLEX, 0 TO 2 PERCENT |                                  |                     |   |                             |   |                                |                    |              |
|                 |  | FLUVAQUENTS                      | 45                  | NA  | Occasional                  | Very limited                                | Very limited                   | Slow               | High         |
|                 |  | FLUVENTS                         | 40                  | NA  | Rare                        | Very limited                                | Very limited                   | Rapid              | Negligible   |
| 807             | TORRIFLUVENTS, 1 TO 12 PERCENT SLOPES  |                                  |                     |   |                             |   |                                |                    |              |
|                 |  | TORRIFLUVENTS                    | 85                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderately rapid   | Negligible   |
| 808             | TYPIC TORRIPSAMMENTS, 0 TO 12 PERCENT SLOPES                                       |                                  |                     |   |                             |   |                                |                    |              |
|                 |  | TYPIC TORRIPSAMMENTS             | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Rapid              | Very low     |
| 809             | TYPIC HAPLOCAMBIDS-TYPIC ENDOAQUOLLS COMPLEX, 5 TO 60 PERCENT SLOPES               |                                  |                     |   |                             |   |                                |                    |              |
|                 |  | TYPIC HAPLOCAMBIDS               | 65                  | NA  | None                        | Very limited                                | Very limited                   | Moderately rapid   | Medium       |
|                 |  | TYPIC ENDOAQUOLLS                | 25                  | NA  | None                        | Very limited                                | Very limited                   | Moderately slow    | High         |
| 81              | SHAWA LOAM, 5 TO 20 PERCENT SLOPES   |                                  |                     |   |                             |   |                                |                    |              |
|                 |  | SHAWA                            | 85                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderate           | Not Rated    |

| Map Unit Symbol | Map Unit Name   | Component Name         | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|------------------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 849             | JOHNMURRY LOAM, 1 TO 6 PERCENT SLOPES                                     |                        |                     |   |                             |   |                                |                    |              |
|                 |   | JOHNMURRY              | 80                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | Medium       |
| 850             | COWCREEK CLAY LOAM, 15 TO 40 PERCENT SLOPES                               |                        |                     |   |                             |   |                                |                    |              |
|                 |   | COWCREEK               | 75                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 853             | JOHNMURRY GRAVELLY LOAM, MOIST, 3 TO 20 PERCENT SLOPES                    |                        |                     |   |                             |   |                                |                    |              |
|                 |   | JOHNMURRY              | 80                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | High         |
| 854             | ONIONHILL-KNIFEDGE, STEEP SILTY CLAY LOAMS, 15 TO 40 PERCENT SLOPES       |                        |                     |   |                             |   |                                |                    |              |
|                 |   | ONIONHILL              | 40                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | KNIFEDGE               | 30                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 855             | KNIFEDGE SILTY CLAY LOAM, 3 TO 15 PERCENT SLOPES                          |                        |                     |   |                             |   |                                |                    |              |
|                 |   | KNIFEDGE               | 75                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | Very high    |
| 856             | COWCREEK SILTY CLAY LOAM, 3 TO 15 PERCENT SLOPES                          |                        |                     |   |                             |   |                                |                    |              |
|                 |   | COWCREEK               | 75                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 857             | JOHNMURRY COBBLY LOAM, 3 TO 15 PERCENT SLOPES                             |                        |                     |   |                             |   |                                |                    |              |
|                 |   | JOHNMURRY              | 75                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderate           | Medium       |
| 858             | JOHNMURRY, DRY ARIDIC USTORTHENTS, SHALE COMPLEX, 15 TO 65 PERCENT SLOPES |                        |                     |   |                             |   |                                |                    |              |
|                 |   | JOHNMURRY              | 40                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
|                 |   | ARIDIC USTORTHENTS DRY | 35                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 859             | JOHNMURRY VERY COBBLY LOAM, 15 TO 65 PERCENT SLOPES                       |                        |                     |   |                             |   |                                |                    |              |
|                 |   | JOHNMURRY              | 75                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
| 86              | SKISAMS GRAVELLY LOAM, 5 TO 40 PERCENT SLOPES                             |                        |                     |   |                             |   |                                |                    |              |
|                 |   | SKISAMS                | 90                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 90              | GOTHIC LOAM, 5 TO 40 PERCENT SLOPES                                       |                        |                     |   |                             |   |                                |                    |              |
|                 |   | GOTHIC MODERATELY DEEP | 90                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 900             | URBAN LAND-MONTROSE-PERSAYO COMPLEX, 0 TO 5 PERCENT SLOPES                |                        |                     |   |                             |   |                                |                    |              |
|                 |   | MONTROSE               | 30                  | NA  | None                        | Somewhat limited                            | Not limited                    | Slow               | High         |
|                 |   | PERSAYO                | 15                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | High         |
| 901             | HAPLIC TORRIARENTS (GRAVEL PITS)  |                        |                     |   |                             |   |                                |                    |              |
|                 |   | HAPLIC TORRIARENTS     | 85                  | NA  | Not Rated                   | Very limited                                | Very limited                   | Very rapid         | Low          |

| Map Unit Symbol | Map Unit Name   | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 902             | URBAN LAND-TYPIC CALCIARGIDS COMPLEX, 0 TO 5 PERCENT SLOPES   |                |                     |   |                             |   |                                |                    |              |
|                 |   | SAGMESA        | 30                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Low          |
| 903             | URBAN LAND-NICLAUDETTE COMPLEX, 0 TO 5 PERCENT SLOPES         |                |                     |   |                             |   |                                |                    |              |
|                 |   | NICOLAUDETTE   | 25                  | NA  | Very rare                   | Very limited                                | Very limited                   | Moderate           | Low          |
| 904             | URBAN LAND AND LIZZYDEA AND MESA SOILS, 0 TO 5 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |   | MESA           | 15                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Medium       |
|                 |   | LIZZYDEA       | 15                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Low          |
| 92              | CALLINGS GRAVELLY LOAM, 5 TO 40 PERCENT SLOPES                |                |                     |   |                             |   |                                |                    |              |
|                 |   | CALLINGS       | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 93              | ADEL LOAM, 5 TO 30 PERCENT SLOPES                             |                |                     |   |                             |   |                                |                    |              |
|                 |   | ADEL           | 85                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | Not Rated    |
| 95              | WINNEMUCCA LOAM, COOL, 15 TO 40 PERCENT SLOPES                |                |                     |   |                             |   |                                |                    |              |
|                 |   | WINNEMUCCA     | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| 977             | VASTINE-ORVIS COMPLEX, 0 TO 15 PERCENT SLOPES                 |                |                     |   |                             |   |                                |                    |              |
|                 |   | VASTINE        | 40                  | 10-72                                       | Rare                        | Very limited                                | Very limited                   | Moderately slow    | Medium       |
|                 |   | ORVIS          | 35                  | 10-72                                       | Rare                        | Very limited                                | Very limited                   | Moderate           | Low          |
| 978             | CAM-BIGBEAR COMPLEX, 3 TO 25 PERCENT SLOPES                   |                |                     |   |                             |   |                                |                    |              |
|                 |   | CAM            | 55                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | BIGBEAR        | 25                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | Very high    |
| 980             | SHANLEY-DAVOTY GRAVELLY LOAMS, 3 TO 25 PERCENT SLOPES         |                |                     |   |                             |   |                                |                    |              |
|                 |   | SHANLEY        | 65                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | Very high    |
|                 |   | DAVOTY         | 15                  | NA  | None                        | Not limited                                 | Very limited                   | Slow               | Very high    |
| 982             | CROOKEDTREE LOAM, 3 TO 15 PERCENT SLOPES                      |                |                     |   |                             |   |                                |                    |              |
|                 |   | CROOKEDTREE    | 80                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | Very high    |
| 984             | DEAROCK-LEUMAS COMPLEX, 5 TO 35 PERCENT SLOPES                |                |                     |   |                             |   |                                |                    |              |
|                 |   | DEAROCK        | 50                  | NA  | None                        | Somewhat limited                            | Very limited                   | Very slow          | Very high    |
|                 |   | LEUMAS         | 20                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |

| Map Unit Symbol | Map Unit Name   | Component Name    | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|-------------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 987             | ARGIUSTOLLS-USTORTHENTS, SHALE COMPLEX, 30 TO 80 PERCENT SLOPES |                   |                     |   |                             |   |                                |                    |              |
|                 |   | ARGIUSTOLLS       | 50                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | USTORTHENTS SHALE | 30                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 988             | JANNSEN-JARVIE CLAY LOAMS, 6 TO 12 PERCENT SLOPES               |                   |                     |   |                             |   |                                |                    |              |
|                 |   | JANNSEN           | 45                  | 28-72                                       | None                        | Very limited                                | Very limited                   | Moderately slow    | High         |
|                 |   | JARVIE            | 35                  | 10-72                                       | None                        | Very limited                                | Very limited                   | Moderately slow    | High         |
| 989             | JARVIE JANSEN COMPLEX, 1 TO 6 PERCENT SLOPES                    |                   |                     |   |                             |   |                                |                    |              |
|                 |   | JARVIE            | 50                  | 10-72                                       | None                        | Very limited                                | Very limited                   | Slow               | Medium       |
|                 |   | JANNSEN           | 30                  | 28-72                                       | None                        | Very limited                                | Very limited                   | Slow               | Medium       |
| B31             | MAGS-BIGMON-ROCK OUTCROP COMPLEX, 3 TO 50 PERCENT SLOPES        |                   |                     |   |                             |   |                                |                    |              |
|                 |   | MAGS              | 50                  | NA  | None                        | Somewhat limited                            | Somewhat limited               | Slow               | High         |
|                 |   | BIGMON            | 25                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |   | ROCK OUTCROP      | 20                  | NA  | None                        | Not Rated                                   | Not Rated                      | Very slow          | Very high    |
| Ba              | BADLAND   |                   |                     |   |                             |   |                                |                    |              |
|                 |   | BADLAND           | 100                 | NA  | None                        | Very limited                                | Not Rated                      | NA                 | Not Rated    |
| BcA             | SAGERS GRAVELLY CLAY LOAM, 0 TO 2 PERCENT SLOPES                |                   |                     |   |                             |   |                                |                    |              |
|                 |   | SAGERS            | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Not Rated    |
| BcB             | SAGERS GRAVELLY CLAY LOAM, 2 TO 10 PERCENT SLOPES               |                   |                     |   |                             |   |                                |                    |              |
|                 |   | SAGERS            | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Not Rated    |
| BdA             | SAGERS SILTY CLAY, 0 TO 2 PERCENT SLOPES                        |                   |                     |   |                             |   |                                |                    |              |
|                 |   | SAGERS            | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Slow               | Not Rated    |
| BdB             | SAGERS SILTY CLAY, 2 TO 10 PERCENT SLOPES                       |                   |                     |   |                             |   |                                |                    |              |
|                 |   | SAGERS            | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Slow               | Not Rated    |
| BeA             | SAGERS SILTY CLAY, LOAMY SUBSTRATUM, 0 TO 2 PERCENT SLOPES      |                   |                     |   |                             |   |                                |                    |              |
|                 |   | SAGERS            | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Slow               | Not Rated    |
| BgA             | SAGERS SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES                   |                   |                     |   |                             |   |                                |                    |              |
|                 |   | SAGERS            | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Not Rated    |
| BgB             | SAGERS SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES                   |                   |                     |   |                             |   |                                |                    |              |
|                 |   | SAGERS            | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Not Rated    |

| Map Unit Symbol | Map Unit Name   | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| BgC             | SAGERS SILTY CLAY LOAM, 5 TO 10 PERCENT SLOPES        |                |                     |   |                             |   |                                |                    |              |
|                 |   | SAGERS         | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Not Rated    |
| BkA             | STUTZMAN SILTY CLAY, 0 TO 2 PERCENT SLOPES            |                |                     |   |                             |   |                                |                    |              |
|                 |   | STUTZMAN       | 85                  | NA  | None                        | Somewhat limited                            | Not limited                    | Slow               | Not Rated    |
| BkB             | STUTZMAN SILTY CLAY, 2 TO 10 PERCENT SLOPES           |                |                     |   |                             |   |                                |                    |              |
|                 |   | STUTZMAN       | 85                  | NA  | None                        | Somewhat limited                            | Somewhat limited               | Slow               | Not Rated    |
| BnB             | BLANYON SILTY CLAY LOAM, 0 TO 5 PERCENT SLOPES        |                |                     |   |                             |   |                                |                    |              |
|                 |   | BLANYON        | 85                  | NA  | None                        | Very limited                                | Somewhat limited               | Slow               | Not Rated    |
| BtB             | BOSTWICK LOAM, 1 TO 5 PERCENT SLOPES                  |                |                     |   |                             |   |                                |                    |              |
|                 |   | BOSTWICK       | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Not Rated    |
| BtC             | BOSTWICK LOAM, 5 TO 10 PERCENT SLOPES                 |                |                     |   |                             |   |                                |                    |              |
|                 |   | BOSTWICK       | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Not Rated    |
| BwC             | BOSTWICK COBBLY LOAM, 2 TO 10 PERCENT SLOPES          |                |                     |   |                             |   |                                |                    |              |
|                 |   | BOSTWICK       | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Not Rated    |
| CeA             | DAICK SILTY CLAY, 0 TO 2 PERCENT SLOPES               |                |                     |   |                             |   |                                |                    |              |
|                 |   | DAICK          | 90                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| CeB             | DAICK SILTY CLAY, 2 TO 5 PERCENT SLOPES               |                |                     |   |                             |   |                                |                    |              |
|                 |   | DAICK          | 90                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| ChC2            | DAICK-PERSAYO COMPLEX, 2 TO 10 PERCENT SLOPES         |                |                     |   |                             |   |                                |                    |              |
|                 |   | DAICK          | 45                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
|                 |   | PERSAYO        | 40                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| CmA             | MASSADONA CLAY LOAM, 0 TO 2 PERCENT SLOPES            |                |                     |   |                             |   |                                |                    |              |
|                 |   | MASSADONA      | 85                  | NA  | None                        | Somewhat limited                            | Not limited                    | Slow               | Not Rated    |
| CmC             | MASSADONA CLAY LOAM, 2 TO 6 PERCENT SLOPES            |                |                     |   |                             |   |                                |                    |              |
|                 |   | MASSADONA      | 85                  | NA  | None                        | Somewhat limited                            | Somewhat limited               | Slow               | Not Rated    |
| CoA             | COLONA SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES         |                |                     |   |                             |   |                                |                    |              |
|                 |   | COLONA         | 85                  | NA  | None                        | Very limited                                | Not limited                    | Slow               | Not Rated    |
| CoC             | COLONA SILTY CLAY LOAM, 2 TO 8 PERCENT SLOPES         |                |                     |   |                             |   |                                |                    |              |
|                 |   | COLONA         | 85                  | NA  | None                        | Very limited                                | Somewhat limited               | Slow               | Not Rated    |
| CsA             | COLONA CLAY, GRAVEL SUBSTRATUM, 0 TO 2 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |   | COLONA         | 85                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |

| Map Unit Symbol | Map Unit Name   | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| DoB             | POTTS LOAM, 3 TO 15 PERCENT SLOPES                    |                |                     |   |                             |   |                                |                    |              |
|                 |   | POTTS          | 90                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderate           | Not Rated    |
| FaA             | FRUITA LOAM, 0 TO 2 PERCENT SLOPES                    |                |                     |   |                             |   |                                |                    |              |
|                 |   | FRUITA         | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderate           | Not Rated    |
| FbC             | FRUITA CLAY LOAM, 5 TO 10 PERCENT SLOPES              |                |                     |   |                             |   |                                |                    |              |
|                 |   | FRUITA         | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Not Rated    |
| FrA             | FRUITLAND FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES      |                |                     |   |                             |   |                                |                    |              |
|                 |   | FRUITLAND      | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately rapid   | Not Rated    |
| FrB             | FRUITLAND FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES      |                |                     |   |                             |   |                                |                    |              |
|                 |   | FRUITLAND      | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately rapid   | Not Rated    |
| FsA             | FRUITLAND SANDY CLAY LOAM, 0 TO 2 PERCENT SLOPES      |                |                     |   |                             |   |                                |                    |              |
|                 |   | FRUITLAND      | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderate           | Not Rated    |
| FsB             | FRUITLAND SANDY CLAY LOAM, 2 TO 5 PERCENT SLOPES      |                |                     |   |                             |   |                                |                    |              |
|                 |   | FRUITLAND      | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderate           | Not Rated    |
| GeA             | TURZO CLAY LOAM, 0 TO 2 PERCENT SLOPES                |                |                     |   |                             |   |                                |                    |              |
|                 |   | TURZO          | 85                  | NA  | None                        | Somewhat limited                            | Somewhat limited               | Moderately slow    | Not Rated    |
| GeB             | TURZO CLAY LOAM, 2 TO 5 PERCENT SLOPES                |                |                     |   |                             |   |                                |                    |              |
|                 |   | TURZO          | 85                  | NA  | None                        | Somewhat limited                            | Somewhat limited               | Moderately slow    | Not Rated    |
| HcA             | HINMAN CLAY LOAM, 0 TO 2 PERCENT SLOPES               |                |                     |   |                             |   |                                |                    |              |
|                 |   | HINMAN         | 85                  | NA  | None                        | Somewhat limited                            | Somewhat limited               | Slow               | Not Rated    |
| LcC             | REDROCK CLAY LOAM, 2 TO 10 PERCENT SLOPES             |                |                     |   |                             |   |                                |                    |              |
|                 |   | REDROCK        | 85                  | NA  | None                        | Somewhat limited                            | Somewhat limited               | Moderately slow    | Not Rated    |
| LsC             | REDROCK CLAY LOAM, 5 TO 10 PERCENT SLOPES, VERY STONY |                |                     |   |                             |   |                                |                    |              |
|                 |   | REDROCK        | 85                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | Not Rated    |
| MaA             | MACK CLAY LOAM, 0 TO 2 PERCENT SLOPES                 |                |                     |   |                             |   |                                |                    |              |
|                 |   | MACK           | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Not Rated    |
| MaB             | MACK CLAY LOAM, 2 TO 5 PERCENT SLOPES                 |                |                     |   |                             |   |                                |                    |              |
|                 |   | MACK           | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Not Rated    |
| MaC             | MACK CLAY LOAM, 5 TO 10 PERCENT SLOPES                |                |                     |   |                             |   |                                |                    |              |
|                 |   | MACK           | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Not Rated    |

| Map Unit Symbol | Map Unit Name   | Component Name      | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|---------------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| MkA             | BYLO FAMILY SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES                                  |                     |                     |   |                             |   |                                |                    |              |
|                 |   | BYLO FAMILY         | 85                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | Not Rated    |
| MkB             | BYLO FAMILY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES                                  |                     |                     |   |                             |   |                                |                    |              |
|                 |   | BYLO FAMILY         | 85                  | NA  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | Not Rated    |
| MIA             | MESA LOAM, 0 TO 2 PERCENT SLOPES  |                     |                     |   |                             |   |                                |                    |              |
|                 |   | MESA                | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Not Rated    |
| MIB             | MESA LOAM, 2 TO 5 PERCENT SLOPES  |                     |                     |   |                             |   |                                |                    |              |
|                 |   | MESA                | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Not Rated    |
| MIC             | MESA LOAM, 5 TO 10 PERCENT SLOPES   |                     |                     |   |                             |   |                                |                    |              |
|                 |   | MESA                | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Not Rated    |
| MoA             | MESA GRAVELLY LOAM, 0 TO 2 PERCENT SLOPES   |                     |                     |   |                             |   |                                |                    |              |
|                 |   | MESA                | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Not Rated    |
| MoB             | MESA GRAVELLY LOAM, 2 TO 5 PERCENT SLOPES   |                     |                     |   |                             |   |                                |                    |              |
|                 |   | MESA                | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Not Rated    |
| MoC             | MESA GRAVELLY LOAM, 5 TO 10 PERCENT SLOPES  |                     |                     |   |                             |   |                                |                    |              |
|                 |   | MESA                | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Not Rated    |
| MtC             | MESA LOAM, 2 TO 10 PERCENT SLOPES, VERY STONY                                       |                     |                     |   |                             |   |                                |                    |              |
|                 |   | MESA                | 85                  | NA  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Not Rated    |
| R3              | USTIC TORRIORTHENTS-ROCK OUTCROP, SANDSTONE/SHALE, COMPLEX, 25 TO 90 PERCENT SLOPES |                     |                     |   |                             |   |                                |                    |              |
|                 |   | USTIC TORRIORTHENTS | 75                  | NA  | Rare                        | Very limited                                | Very limited                   | Very slow          | High         |
|                 |   | ROCK OUTCROP        | 20                  | NA  | None                        | Not Rated                                   | Not Rated                      | Very slow          | Very high    |
| RaB             | CLAUNCH FAMILY CLAY LOAM, 0 TO 10 PERCENT SLOPES                                    |                     |                     |   |                             |   |                                |                    |              |
|                 |   | CLAUNCH FAMILY      | 85                  | NA  | None                        | Somewhat limited                            | Somewhat limited               | Moderately slow    | Not Rated    |
| Ro              | ROCK OUTCROP  |                     |                     |   |                             |   |                                |                    |              |
|                 |   | ROCK OUTCROP        | 90                  | NA  | None                        | Not Rated                                   | Not Rated                      | NA                 | Not Rated    |
| Sa              | SALORTHIDS  |                     |                     |   |                             |   |                                |                    |              |
|                 |   | SALORTHIDS          | 95                  | 0-72  | None                        | Not Rated                                   | Not Rated                      | Rapid              | Not Rated    |
| Sc              | SALTICK CLAY, DRAINED, 0 TO 2 PERCENT SLOPES  |                     |                     |   |                             |   |                                |                    |              |
|                 |   | SALTICK             | 85                  | 42-72                                       | Rare                        | Very limited                                | Somewhat limited               | Slow               | Not Rated    |
| ShB             | MONTWEL FAMILY SANDY CLAY LOAM, 2 TO 5 PERCENT SLOPES                               |                     |                     |   |                             |   |                                |                    |              |
|                 |   | MONTWEL FAMILY      | 85                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | Not Rated    |

| Map Unit Symbol | Map Unit Name   | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| ShC             | MONTWEL FAMILY SANDY CLAY LOAM, 5 TO 10 PERCENT SLOPES      |                |                     |   |                             |   |                                |                    |              |
|                 |   | MONTWEL FAMILY | 85                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | Not Rated    |
| Uc              | UNCOMPAHGRE CLAY LOAM, 0 TO 2 PERCENT SLOPES                |                |                     |   |                             |   |                                |                    |              |
|                 |   | UNCOMPAHGRE    | 90                  | 12-72                                       | Occasional                  | Very limited                                | Very limited                   | Moderately slow    | Not Rated    |
| Uh              | UNCOMPAHGRE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES          |                |                     |   |                             |   |                                |                    |              |
|                 |   | UNCOMPAHGRE    | 90                  | 12-72                                       | Occasional                  | Very limited                                | Very limited                   | Moderate           | Not Rated    |
| Un              | UNCOMPAHGRE LOAM, 0 TO 2 PERCENT SLOPES                     |                |                     |   |                             |   |                                |                    |              |
|                 |   | UNCOMPAHGRE    | 90                  | 12-72                                       | Occasional                  | Very limited                                | Very limited                   | Moderate           | Not Rated    |
| VeA             | VERNAL LOAM, 0 TO 2 PERCENT SLOPES                          |                |                     |   |                             |   |                                |                    |              |
|                 |   | VERNAL         | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderate           | Not Rated    |
| VgA             | VERNAL GRAVELLY LOAM, 0 TO 5 PERCENT SLOPES                 |                |                     |   |                             |   |                                |                    |              |
|                 |   | VERNAL         | 85                  | NA  | None                        | Not limited                                 | Very limited                   | Moderate           | Not Rated    |
| X14             | TWENTYFIVE-ROCK OUTCROP COMPLEX, 3 TO 25 PERCENT SLOPES     |                |                     |   |                             |   |                                |                    |              |
|                 |   | TWENTYFIVE     | 75                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |   | ROCK OUTCROP   | 20                  | NA  | None                        | Not Rated                                   | Not Rated                      | Very slow          | Very high    |
| X30             | LINSKOTT-GAPMESA COMPLEX, 3 TO 15 PERCENT SLOPES            |                |                     |   |                             |   |                                |                    |              |
|                 |   | LINSKOTT       | 50                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |   | GAPMESA        | 45                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | High         |
| X31B            | BIGMON-BLANCOT-ROCK OUTCROP COMPLEX, 3 TO 25 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |   | BIGMON         | 50                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |   | Blancot        | 30                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Medium       |
|                 |   | ROCK OUTCROP   | 10                  | NA  | None                        | Not Rated                                   | Not Rated                      | Very slow          | Very high    |
| X31M            | WALKNOWLLS-ROCK OUTCROP COMPLEX, 20 TO 60 PERCENT SLOPES    |                |                     |   |                             |   |                                |                    |              |
|                 |   | WALKNOLLS      | 50                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |   | ROCK OUTCROP   | 40                  | NA  | None                        | Not Rated                                   | Not Rated                      | Very slow          | Very high    |
| X32             | BLANCOT-GAPMESA COMPLEX, 3 TO 20 PERCENT SLOPES             |                |                     |   |                             |   |                                |                    |              |
|                 |   | BLANCOT        | 55                  | NA  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Medium       |
|                 |   | GAPMESA        | 40                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | High         |
| X51             | TRAGMON-CERRO COMPLEX, 5 TO 30 PERCENT SLOPES               |                |                     |   |                             |   |                                |                    |              |
|                 |   | TRAGMON        | 64                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
|                 |   | CERRO          | 36                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |



| Map Unit Symbol | Map Unit Name   | Component Name  | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|-----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| X58             | DELSON-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES                      |                 |                     |   |                             |   |                                |                    |              |
|                 |   | DELSON          | 60                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
|                 |   | ROCK OUTCROP    | 25                  | NA  | None                        | Not Rated                                   | Not Rated                      | NA                 | Not Rated    |
| X61             | MOENTO-BEJE-ROCK OUTCROP COMPLEX, 5 TO 35 PERCENT SLOPES                  |                 |                     |   |                             |   |                                |                    |              |
|                 |   | MOENTO          | 45                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | High         |
|                 |   | BEJE            | 35                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |   | ROCK OUTCROP    | 15                  | NA  | None                        | Not Rated                                   | Not Rated                      | Very slow          | Very high    |
| X62             | MOENTO-TRAGMON COMPLEX, 3 TO 20 PERCENT SLOPES                            |                 |                     |   |                             |   |                                |                    |              |
|                 |   | MOENTO          | 65                  | NA  | None                        | Very limited                                | Very limited                   | Very slow          | High         |
|                 |   | TRAGMON         | 25                  | NA  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | High         |
| X70             | RICOT-SHOWALTER COMPLEX, 5 TO 20 PERCENT SLOPES                           |                 |                     |   |                             |   |                                |                    |              |
|                 |   | RICOT           | 45                  | NA  | None                        | Somewhat limited                            | Very limited                   | Slow               | Not Rated    |
|                 |   | SHOWALTER       | 40                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| X71             | BOSTWICK FAMILY-KUNZ-ROCK OUTCROP COMPLEX, 15 TO 50 PERCENT SLOPES, STONY |                 |                     |   |                             |   |                                |                    |              |
|                 |   | BOSTWICK FAMILY | 40                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | Not Rated    |
|                 |   | KUNZ            | 30                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | Not Rated    |
|                 |   | ROCK OUTCROP    | 20                  | NA  | None                        | Not Rated                                   | Not Rated                      | NA                 | Not Rated    |
| X90             | POWDERHORN-CALLINGS COMPLEX, COOL, 5 TO 40 PERCENT SLOPES                 |                 |                     |   |                             |   |                                |                    |              |
|                 |   | POWDERHORN      | 50                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
|                 |   | CALLINGS, COOL  | 35                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
| X91             | TOLVAR GRAVELLY LOAM, 5 TO 40 PERCENT SLOPES                              |                 |                     |   |                             |   |                                |                    |              |
|                 |   | TOLVAR          | 85                  | NA  | None                        | Very limited                                | Very limited                   | Moderate           | Not Rated    |
| X94             | COCHETOPA-KILDOR COMPLEX, 15 TO 40 PERCENT SLOPES                         |                 |                     |   |                             |   |                                |                    |              |
|                 |   | COCHETOPA       | 45                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |
|                 |   | KILDOR          | 40                  | NA  | None                        | Very limited                                | Very limited                   | Slow               | Not Rated    |